




STEEL / FLOW CONTROL TECHNOLOGY



# Stopper Rod Mechanism INTERSTOP® SRM-L



## **Overview**


- Designed for casting ladles
- Automatic or manual operation
- Easy installation and operation
- Locking system for safe ladle transfer

# **System Characteristics**

- Tight mechanical play for precise flow regulation
- Reliable locking system
- Stopper alignment by horizontal guidance (2-axis)
- Designed for stopper rod assembly into a preheated casting ladle
- Electric or hydraulic driven actuators

# **Maintenance and Support**

- Minimal maintenance work required
- Long lifetime of parts
- Long inspection intervals, short inspection time
- INTERSTOP® after sales service







#### Imprint:

Media owner and publisher: RHI Magnesita GmbH, Kranichberggasse 6, 1120 Vienna, Austria Produced by: RHI Magnesita — 02 / 2020-EN Place of publication and production: Vienna, Austria

#### Copyright notice:

The texts, photographs and graphic design contained in this publication are protected by copyright. Unless indicated otherwise, the related rights of use, especially the rights of reproduction, dissemination, provision and editing, are held exclusively by RHI Magnesita. Usage of this publication shall only be permitted for personal information purposes. Any type of use going beyond that, especially reproduction, editing, other usage or commercial use is subject to explicit prior written approval by RHI Magnesita.

### Stopinc Aktiengesellschaft

Bösch 83a, 6331 Hünenberg, Switzerland T +41 41 785 75 00 E interstop@rhimagnesita.com

#### RHI TRADING (DALIAN) CO., LTD

Shanghai Branch Rm. 1803 Lippo Plaza, No. 222 Huaihai (M) Rd. 200021 Shanghai, P. R. China T +86 21 23199507 E interstop@rhimagnesita.com

#### RHI US LTD.

3956 Virginia Avenue, Cincinnati, Ohio 45227 USA **T** +1 513 527 6160 **E** interstop@rhimagnesita.com

### RHI Magnesita GmbH

Kranichberggasse 6, 1120 Vienna, Austria T +43 50213 0 E steel@rhimagnesita.com

rhimagnesita.com



Subscriptions Service and Contributions



